L Number	Hits	Search Text	DB	Time stamp
1	1881	facial near3 expression	USPAT;	2004/04/20 11:27
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
3	376	data same (facial near3 expression )	USPAT;	2004/04/20 13:16
"	3,0		US-PGPUB;	
			EPO; JPO;	
			DERWENT	
5	640	345/581,863.ccls.	USPAT;	2004/04/20 12:38
	0.0	3 10/2013,000.0010.	US-PGPUB;	200 1,0 1,20 12.50
			EPO; JPO;	
			DERWENT	
6	0	(data same emotion same (facial near3 expression )) and	USPAT;	2004/04/20 12:39
	, and the second	345/581,863.ccls.	US-PGPUB;	
		3 10/001,00010010.	EPO; JPO;	
			DERWENT	
7	9	(facial near3 expression) and 345/581,863.ccls.	USPAT;	2004/04/20 12:39
'		(tubial fields expression) and 5 15/501,005.0015.	US-PGPUB;	2004/04/2012:37
			EPO; JPO;	
			DERWENT	
8	12	(imag\$3 near5 file) same (facial near3 expression)	USPAT;	2004/04/20 13:16
	12	(	US-PGPUB;	2007/07/20 13.10
			EPO; JPO;	
<u> </u>			DERWENT	
4	30	data same emotion same (facial near3 expression )	USPAT;	2004/04/20 13:39
	30	data same emotion same (facial fical) expression )	US-PGPUB;	2004/04/20 13.39
	1		EPO; JPO;	
1			DERWENT	
9	25232	physiology	USPAT;	2004/04/20 13:16
1.	23232	physiology	US-PGPUB;	2004/04/20 13.10
			EPO; JPO;	
			DERWENT	
10	1329	data same physiology	USPAT;	2004/04/20 13:16
1.0	1327	dua same physiology	US-PGPUB;	2004/04/20 13.10
			EPO; JPO;	
			DERWENT	
11	3	(imag\$3 near5 file) same (data same physiology)	USPAT;	2004/04/20 13:24
''			US-PGPUB;	2004/04/20 13:24
			EPO; JPO;	:
			DERWENT	
12	5	(imag\$3 near5 file) same physiology	USPAT;	2004/04/20 13:24
'		(mages nears me) same physiology	US-PGPUB;	200-1/0-1/20 15.2-1
			EPO; JPO;	
			DERWENT	
13	2	345/581,863.ccls. and physiology	USPAT;	2004/04/20 13:26
		, ,	US-PGPUB;	
			EPO; JPO;	
]		· ·	DERWENT	
14	4	data same emotion same physiology	USPAT;	2004/04/20 13:39
[ [		1 70/	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1575643	affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4	USPAT;	2003/08/27 10:24
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2	US-PGPUB;	
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3	EPO; JPO	
		jolly merry jovial	,	
-	315988	(digit\$4 data) near3 (imag\$3 photo\$7 video picture)	USPAT;	2003/08/27 09:58
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	312.12.2.
			EPO; JPO	
-	167	file with (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4	USPAT;	2003/08/27 10:01
		excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2	US-PGPUB;	
[		tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3	== =, , , ,	
		photo\$7 video picture))		
<u> </u>			<u> </u>	

•	1070		USPAT;	2003/08/27 10:14
1		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3	:	
	00222	photo\$7 video picture))	HICDAT.	2004/04/10 00.55
-	90323	(user operator individual personal user?name (user adj name)) near3	USPAT;	2004/04/19 08:55
		("ID" identif\$7 GUID "/usr")	US-PGPUB;	
	_	((File starts) with (affects) amotions 4 feels? continues	EPO; JPO	2004/04/10 00:02
-	6	((file stor\$3) with (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	USPAT; US-PGPUB;	2004/04/19 09:03
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3	EPO; JPO	
		photo\$7 video picture))) with ((user operator individual personal		
	ļ			
	115	user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr")) (file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2002/08/27 10:24
-	113	romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4		2003/08/27 10:24
			US-PGPUB;	
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) same ((digit\$4 data) near3 (imag\$3		
		photo\$7 video picture)) same ((user operator individual personal		
1_	109	user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr")) ((file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2003/08/27 10:17
-	109	romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	2003/06/27 10:17
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) same ((digit\$4 data) near3 (imag\$3	EFO, JFO	
		photo\$7 video picture)) same ((user operator individual personal		
	1	user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr"))) not		
		(((file stor\$3) with (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4		
	1	romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4		
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy		
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3		
	1	photo\$7 video picture))) with ((user operator individual personal		
		user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr")))		
-	104	(((file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2003/08/27 10:18
		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
	ļ	miserable happ\$3 jolly merry jovial) same ((digit\$4 data) near3 (imag\$3	,	
		photo\$7 video picture)) same ((user operator individual personal		
		user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr"))) not		
		(((file stor\$3) with (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4		
		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4		
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy		
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3		
		photo\$7 video picture))) with ((user operator individual personal		
		user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr")))) not		
	1000 710	(depress\$3 near5 (switch button))		
-	1292518	affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4	USPAT;	2003/08/27 10:24
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2	US-PGPUB;	
		poignant\$3 distress5 upset4 cheer\$4 gloomy miserable happy jolly merry	EPO; JPO	
	22	jovial  ((5) o stor 32) some (officials 2 amost on \$4.5 - 152 amost on \$4.5 - 153	TIOD AT	2004/04/2000
-	23	((file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2004/04/19 09:04
		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 cheer\$4 gloomy miserable	ЕРО; ЈРО	
]		happy jolly merry jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same ((user operator individual personal user?name (user		
		adj name)) near3 ("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with		
		(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4		
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture))) with ((user operator individual personal user?name (user adj		
1		name)) near3 ("ID" identif\$7 GUID "/usr")))		
L		mane,, near ( 12 identity ( Gotto /ust )))		

-	5	(time date \$5day hour "hrs" minutes "mins") same (((file stor\$3) same	USPAT;	2004/04/19 09:04
		(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4	US-PGPUB;	
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2	EPO; JPO	
		poignant\$3 distress5 upset4 cheer\$4 gloomy miserable happy jolly merry		
		jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3		
		emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3		
		disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture))) with ((user operator individual personal user?name (user adj		
į		name)) near3 ("ID" identif\$7 GUID "/usr"))))		
-	84	(time date \$5day hour "hrs" minutes "mins") same ((((file stor\$3) same	USPAT;	2003/08/27 10:53
İ		(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4	US-PGPUB;	
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2	EPO; JPO	
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3	·	
	!	jolly merry jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture)) same ((user operator individual personal user?name (user adj		
		name)) near3 ("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with		
	!	(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4		
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		•
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture))) with ((user operator individual personal user?name (user adj		
		name)) near3 ("ID" identif\$7 GUID "/usr")))) not (depress\$3 near5		
		(switch button)))		
-	3	5666215.pn. 6004061.pn. 5760917.pn.	USPAT	2003/08/27 11:35
-	1	gesture same users same ((((file stor\$3) same (affect\$3 emotion\$4 feel\$3	USPAT;	2004/04/19 09:04
	:	gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4	US-PGPUB;	
		heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3	EPO; JPO	
		distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3 jolly merry		
		jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3		
		emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3		
		disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture))) with ((user operator individual personal user?name (user adj		
		name)) near3 ("ID" identif\$7 GUID "/usr")))) not (depress\$3 near5		
		(switch button)))		

-	1	JPEG same ((((file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3	USPAT;	2003/08/27 12:13
		sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending	US-PGPUB;	
		heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3 distress5 upset4	EPO; JPO	
1		depress\$3 cheer\$4 gloomy miserable happ\$3 jolly merry jovial) same		
		((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same ((user		
		operator individual personal user?name (user adj name)) near3 ("ID"		
		identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3 emotion\$4		
1		feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4		
		heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3		
		distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3 jolly merry		
		jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video picture))) with		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr")))) (((file stor\$3) same (affect\$3 emotion\$4		
		feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4		
		heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3		
		distress5 upset4 cheer\$4 gloomy miserable happy jolly merry jovial)		
		same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same ((user		
		operator individual personal user?name (user adj name)) near3 ("ID"		
		identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3 emotion\$4		
		feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4		
		heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3		
		distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3 jolly merry		
1		jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video picture))) with		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr")))) (5666215.pn. 6004061.pn. 5760917.pn.))		
-	547	345/581,863.ccls. 345/208.fref.	USPAT;	2003/08/27 15:09
			US-PGPUB;	
1			EPO; JPO	
-	2	"6629104" .pn.	USPAT;	2004/04/19 08:51
			US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT	
-	3	(((file stor\$3) with (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2004/04/19 09:09
		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	
	İ	pitiful\$2 tender\$2 poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy	EPO; JPO	
		miserable happ\$3 jolly merry jovial) with ((digit\$4 data) near3 (imag\$3		
		photo\$7 video picture))) with ((user operator individual personal		
1	ł	user?name (user adj name)) near3 ("ID" identif\$7 GUID "/usr"))) and		
1	_	@pd>=20030827		
-	7	(((file stor\$3) same (affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4	USPAT;	2004/04/19 09:17
		romantic\$4 excit\$4 arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4	US-PGPUB;	
		pitiful\$2 tender\$2 poignant\$3 distress5 upset4 cheer\$4 gloomy miserable	EPO; JPO	
		happy jolly merry jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7		
		video picture)) same ((user operator individual personal user?name (user		
		adj name)) near3 ("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with		
		(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4		
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
	1	poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video picture))) with ((user operator individual personal user?name (user adj		
		name)) near3 ("ID" identif\$7 GUID "/usr")))) and @pd>=20030827		
	2	((time date \$5day hour "hrs" minutes "mins") same (((file stor\$3) same	IICDAT.	2004/04/19 09:25
1	2	(affect\$3 emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4	USPAT; US-PGPUB;	2004/04/13 03:23
		arous\$3 disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2	EPO; JPO	:
		poignant\$3 distress5 upset4 cheer\$4 gloomy miserable happy jolly merry	EI O, JFO	
		jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3		
		emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3		
		disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video		
		picture))) with ((user operator individual personal user?name (user adj		
1		name)) near3 ("ID" identif\$7 GUID "/usr"))))) and @pd>=20030827		
L	<b>L</b>	I mane), nears ( ID received OOID rest ))))) and coper=20030827	l	

-	1	(gesture same users same ((((file stor\$3) same (affect\$3 emotion\$4 feel\$3	USPAT;	2004/04/19 09:25
		gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3 disturb\$4	US-PGPUB;	in
	1	heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2 poignant\$3	EPO; JPO	
		distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3 jolly merry		1
	ŀ	jovial) same ((digit\$4 data) near3 (imag\$3 photo\$7 video picture)) same		
		((user operator individual personal user?name (user adj name)) near3		
		("ID" identif\$7 GUID "/usr"))) not (((file stor\$3) with (affect\$3		
		emotion\$4 feel\$3 gestur\$3 sentiment\$4 romantic\$4 excit\$4 arous\$3		
		disturb\$4 heart?rending heart?break\$3 sad\$4 pitiful\$2 tender\$2		
		poignant\$3 distress5 upset4 depress\$3 cheer\$4 gloomy miserable happ\$3		1
		jolly merry jovial) with ((digit\$4 data) near3 (imag\$3 photo\$7 video	•	
		picture))) with ((user operator individual personal user?name (user adj		
1		name)) near3 ("ID" identif\$7 GUID "/usr")))) not (depress\$3 near5		
1		(switch button)))) and @pd>=20030827		